

RoomCast E2 Datasheet

Wireless presentation system to increase productivity

As an enterprise-level wireless presentation system, Yealink RoomCast E2 allows participants to cast their screens to a TV simultaneously through Yealink Pod, Miracast, AirPlay and YeaCast, and use interactive collaboration features. This can facilitate local collaboration in traditional meeting rooms and increase productivity. Furthermore, except for its compact design and built-in Wi-Fi 6, it can support STA/AP/P2P Wi-Fi mode at the same time and provides PoE or DC power supply for you to choose. All combine to make Yealink RoomCast E2 the ideal wireless presentation solution in small and medium-sized meeting rooms or multimedia classrooms.



Yealink Wireless
Presentation Pod



YeaCast



Miracast



AirPlay



Dual-Wi-Fi Chips
Wi-Fi 6



Remote Device
Management



4-Screen
Casting



4K/60FPS



Key Features and Benefits

Unlimited Casting, Higher Productivity

Perfectly compatible with Windows, iOS and other operating systems, it allows you to cast screens wirelessly with Miracast, AirPlay, and YeaCast and Yealink Wireless Presentation Pod, making higher-quality and more versatile content sharing experience. Besides, You can freely choose between 4-Screen casting or preemptive casting for your display needs.

Safe, Reliable, and IT-Friendly

Its compact design and PoE power supply allow you to place Yealink RoomCast E2 on the TV or the desktop, hiding all cables and presenting a clean meeting room. At the same time, you can manage and diagnose Yealink RoomCast E2 remotely on Yealink Device Management Platform or Yealink Workspace Management Platform.

- 4K/60FPS
- Yealink Pod
- YeaCast
- Miracast
- AirPlay
- 4-Screen Casting
- Power over Ethernet
- Remote device management

Specifications

Parameter	Description
HDMI Out	• 4k/60fps
Decoder	• 4k/30fps
Connectivity	• Gigabit Ethernet • Wi-Fi 6 - 802.11a/b/g/n/ac/ax - 2x2 MIMO • Bluetooth5.0 • Ultrasonic communication
Interface	• 1 x HDMI-out • 1 x Gigabit Ethernet Port (PoE supported) • 3 x USB Type A • 1 x Reset Slot • 1 x Power connector • 1 x Kensington Security Slot
Power Supply	• Power over Ethernet (IEEE 802.3af) • 12V Power Adapter
Presentation	• Yealink Pod • YeaCast • Miracast • AirPlay
Extended Desktop	• Available for Windows • Requires Miracast or Yealink Wireless Presentation Pod
Number of sources simultaneous on screen	• Four
Security Guarantee	• Cast streaming isolated in local area network • WPA/WAP2-PSK, WPA3 encryption for Wi-Fi network • PIN code to prevent unwanted stream
Device Management	• Yealink Management Cloud Service • Yealink Device Management Platform
Dimensions	• Size (mm): 145 x 72.5 x 23.5 (5.71" x 2.85" x 0.93") • Weight: 0.2kg (0.44 lb)

About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

Copyright

Copyright © 2025 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2025 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.666 Hu'an Rd, Huli District Xiamen City, Fujian, P.R.C
Copyright©2025 Yealink Inc. All right reserved.